


Model 74
12"-14" Tilting Arbor Scoring Saw

**MAINTENANCE INSTRUCTIONS
AND PARTS LIST**

Price \$2.50



Better By Design[™]

POWERMATIC[®] 

POWERMATIC[®]  HOUDAILLE

McMinnville, Tennessee 37110

AC 615-473-55

LIST OF SAFETY RELATED PRODUCTS

EDP NO.	PARTS
2250154	T.A. Saw Guard—Std.—74
2250113	T.A. Saw Guard—Std.—68 & 72
3268050	Miter Gage Handle
2028082	Sliding Table Attachment—68, 72, & 74
2761026	Stock Stop for T.A. Saw—Assy.
2761025	Stock Stop for T.A. Saw—68, 72, & 74
3330283	Safety Rules Decal
3330285	Caution Decal
3330295	Danger Decal—High Voltage
3408212	Danger Decal (single phase motor only)

SAFETY RULES

CAREFULLY READ INSTRUCTION MANUAL BEFORE OPERATING MACHINE.
 DO NOT OPERATE WITHOUT ALL GUARDS AND COVERS IN POSITION.
 BE SURE MACHINE IS ELECTRICALLY GROUNDED.
 REMOVE OR FASTEN LOOSE ARTICLES OF CLOTHING SUCH AS NECKTIES, ETC. CONFINE LONG HAIR.
 REMOVE JEWELRY SUCH AS FINGER RINGS, WATCHES, BRACELETS, ETC.
 USE SAFETY FACE SHIELD, GOGGLES, OR GLASSES TO PROTECT EYES AND OTHER PERSONAL SAFETY EQUIPMENT AS REQUIRED.
 STOP MACHINE BEFORE MAKING ADJUSTMENTS OR CLEANING CHIPS FROM WORK AREA.
 KEEP THE FLOOR AROUND THE MACHINE CLEAN AND FREE FROM SCRAPS, SAWDUST, OIL OR GREASE TO MINIMIZE THE DANGER OF SLIPPING.

3330283

CAUTION

DO NOT START SAW WITHOUT ALIGNING SPLITTER TO BLADE

3330285

DANGER

HIGH VOLTAGE
 DISCONNECT POWER BEFORE REMOVING COVER

3330295

DANGER

MOTOR EQUIPPED WITH MANUAL OVERLOAD. WHEN RESET BUTTON ON MOTOR IS DEPRESS-ED IT WILL START IMMEDIATELY IF MACHINE IS EQUIPPED WITH MANUAL STARTER IN ON POSITION.
 WITH MAGNETIC STARTERS MOTORS MAY NOT BE RESTARTED UNTIL RESET BUTTON IS DEPRESSED AFTER AN OVERLOAD.

3408212

